1600

Number:	•	•	CRF En	rors Co	rrected l	by tho S	STIC Sys	C	RF Proc	ossing D	a /g:	5/9/2	ρ
Changed a lie from notification to both Changed the margins in cases where the sequence lext was wrapped down to the next line. Edited a format error in the Current Application Data section, specifically: Edited the Current Application Data section with the actual current number. The number inputted by life applicant was the prior application data; or other Added the mandatory heading and subheadings for "Current Application Data". Edited the "Number of Sequences" field. The applicant spelled out a number instead of using an integral Changed the spelling of a mandatory field (the headings or subheadings), specifically: Corrected the SEQ ID NO when obviously incorrect. The sequence numbers that were edited were: Inserted or corrected a nucleic number at the end of a nucleic line. SEQ ID NO's edited: Corrected subheading placement. All responses must be on the same line as each subheading. If the applicant placed a response below the subheading, this was moved to its appropriate place. Inserted colons after headings/subheadings. Headings edited included: Deleted extra, invalid, headings used by an applicant, specifically: Suppose a page of the beginning/end of files; secretary initials/filename at end of page numbers throughout text; other invalid text, such as Inserted mandatory headings, specifically: Corrected an obvious error in the response, specifically: Edited identifiers where upper case is used but lower case is required, or vice versa. Corrected an error in the Number of Sequences field, specifically: A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted. Deleted ending stop codon in arrifero acid sequences and adjusted the "(A)Length:" field accordingly (error other).	lumber:	<u> </u>	63T,	<u> </u>	CU F	717	_				$//\sim$	(STIC	sta
Edited the Current Application Data section with the actual current number. The number inputted by the applicant was the prior application data; or other Added the mandatory heading and subheadings for "Current Application Data". Edited the "Number of Sequences" field. The applicant spelled out a number instead of using an integral Changed the spelling of a mandatory field (the headings or subheadings), specifically: Corrected the SEQ ID NO when obviously incorrect. The sequence numbers that were edited were: Inserted or corrected a nucleic number at the end of a nucleic line. SEQ ID NO's edited: Corrected subheading placement. All responses must be on the same line as each subheading. If the applicant placed a response below the subheading, this was moved to its appropriate place. Inserted colons after headings/subheadings. Headings edited included: Deleted extra, invalid, headings used by, an applicant, specifically: Sequence 3 — Aultria applicant, specifically: Sequence 3 — Aultria applicant, specifically: Corrected an obvious error in the response, specifically: Corrected an obvious error in the response, specifically: Edited identifiers where upper case is used but lower case is required, or vice versa. Corrected an error in the Number of Sequences field, specifically: A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted. Deleted ending stop codon in arrano acid sequences and adjusted the "(A)Length: field accordingly (error other).	Changed	l a file Ir	om non-AS	CII to AS		IAII	ERF	= n	·		V		
Added the mandatory heading and subheadings for "Current Application Data". Edited the "Number of Sequences" field. The applicant spelled out a number instead of using an integral changed the spelling of a mandatory field (the headings or subheadings), specifically: Corrected the SEQ ID NO when obviously incorrect. The sequence numbers that were edited were: Inserted or corrected a nucleic number at the end of a nucleic line. SEQ ID NO's edited: Corrected subheading placement. All responses must be on the same line as each subheading. If the applicant placed a response below the subheading, this was moved to its appropriate place. Inserted colons after headings/subheadings. Headings edited included: Deleted extra, invalid, headings used by an applicant, specifically: Sequence 3 — Author of other invalid text, such as Inserted mandatory headings, specifically: Corrected an obvious error in the response, specifically: Edited identifiers where upper case is used but lower case is required, or vice versa. Corrected an enter in the Number of Sequences field, specifically: A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted. Obtended ending stop codon in author acid sequences and adjusted the "(A)Length:" field accordingly (error other).	Changed	I the ma	gins in cas	ses where	the sequ	ence text	was wrat	ped d	lown to	the nex	t line.	EC	
Added the mandatory heading and subheadings for "Current Application Data". Edited the "Number of Sequences" field. The applicant spelled out a number instead of using an integral Changed the spelling of a mandatory field (the headings or subheadings), specifically: Corrected the SEQ ID NO when obviously incorrect. The sequence numbers that were edited were: Inserted or corrected a nucleic number at the end of a nucleic line. SEQ ID NO's edited: Corrected subheading placement. All responses must be on the same line as each subheading. If the applicant placed a response below the subheading, this was moved to its appropriate place. Inserted colons after headings/subheadings. Headings edited included: Deleted extra, invalid, headings used by an applicant, specifically: Square 3 — As Instantial Applications of files: Sequence 3 — destantial Applications of files: Corrected an obvious error in the response, specifically: Corrected an obvious error in the response, specifically: Edited identifiers where upper case is used but lower case is required, or vice versa. Corrected an error in the Number of Sequences field, specifically: Edited identifiers where upper case is used but lower case is required, or vice versa. Corrected an error in the Number of Sequences field, specifically: A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted. Deleted ending stop codon in arror acid sequences and adjusted the "(A)Length:" field accordingly (error other).	Edited a	format e	rror in the	Current A	pplication	Data sec	tion, speci	ifically:				H CE	_
Edited the "Number of Sequences" field. The applicant spelled out a number instead of using an integral changed the spelling of a mandatory field (the headings or subheadings), specifically: Corrected the SEQ ID NO when obviously incorrect. The sequence numbers that were edited were: Inserted or corrected a nucleic number at the end of a nucleic line. SEQ ID NO's edited: Corrected subheading placement. All responses must be on the same line as each subheading. If the applicant placed a response below the subheading, this was moved to its appropriate place. Inserted colons after headings/subheadings. Headings edited included: Deleted extra, invalid, headings used by, an applicant, specifically: Sequence 3 — Author of the page numbers throughout text; other invalid text, such as	Edited the applicant	e Currei was [t Application the prior	on Data s application	ection with on data; or	the actu	al current	numbe	r. The	number ——·	inputte	NIEM 160	
Corrected the SEQ ID NO when obviously incorrect. The sequence numbers that were edited were: Inserted or corrected a nucleic number at the end of a nucleic line. SEQ ID NO's edited: Corrected subheading placement. All responses must be on the same line as each subheading. If the applicant placed a response below the subheading, this was moved to its appropriate place. Inserted colons after headings/subheadings. Headings edited included: Deleted extra, invalid, headings used by an applicant, specifically: Sequence 3 — Activate of particular productions of page numbers throughout text; other invalid text, such as Inserted mandatory headings, specifically: Corrected an obvious error in the response, specifically: Edited identifiers where upper case is used but lower case is required, or vice versa. Corrected an error in the Number of Sequences field, specifically: A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted. Deleted ending stop codon in antino acid sequences and adjusted the "(A)Length: field accordingly (error other).	Added th	e mand	ıtory headi	ng and su	ubheading	s for *Cur	rent Applic	cation (Data*.			0/29	
Corrected the SEQ ID NO when obviously incorrect. The sequence numbers that were edited were: Inserted or corrected a nucleic number at the end of a nucleic line. SEQ ID NO's edited: Corrected subheading placement. All responses must be on the same line as each subheading. If the applicant placed a response below the subheading, this was moved to its appropriate place. Inserted colons after headings/subheadings. Headings edited included: Deleted extra, invalid, headings used by an applicant, specifically: Sequence 3 — Author of the page numbers throughout text; other invalid text, such as Inserted mandatory headings, specifically: Corrected an obvious error in the response, specifically: Edited identifiers where upper case is used but lower case is required, or vice versa. Corrected an error in the Number of Sequences field, specifically: A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted. The eleted ending stop codon in antino acid sequences and adjusted the "(A)Length;" field accordingly (error other).	Edited the	e "Numt	er of Sequ	ences* fi	eld. The a	pplicant s	spelled out	t a num	ber inst	lead of	using ar	n integ	
nserted or corrected a nucleic number at the end of a nucleic line. SEQ ID NO's edited: Corrected subheading placement. All responses must be on the same line as each subheading. If the applicant placed a response below the subheading, this was moved to its appropriate place. Inserted colons after headings/subheadings. Headings edited included: Deleted extra, invalid, headings used by an applicant, specifically: Sequence 3 — Aeletes appropriate place. Deleted: non-ASCII garbage at the beginning/end of files; secretary initials/filename at end of page numbers throughout text; other invalid text, such as linserted mandatory headings, specifically: Corrected an obvious error in the response, specifically: Edited identifiers where upper case is used but lower case is required, or vice versa. Corrected an error in the Number of Sequences field, specifically: A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted. Deleted ending stop codon in antino acid sequences and adjusted the "(A)Length:" field accordingly (error of these).	Changed	the spe	9		•	•	or subhea	dings),	specific	cally:			-
Corrected subheading placement. All responses must be on the same line as each subheading. If the applicant placed a response below the subheading, this was moved to its appropriate place. Inserted colons after headings/subheadings. Headings edited included: Deleted extra, invalid, headings used by an applicant, specifically: Significant of the applicant of the substitution of the secretary initials/filename at end of page numbers throughout text; other invalid text, such as Inserted mandatory headings, specifically: Corrected an obvious error in the response, specifically: Edited identifiers where upper case is used but lower case is required, or vice versa. Corrected an error in the Number of Sequences field, specifically: A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted. Beleted ending stop codon in antino acid sequences and adjusted the "(A)Length:" field accordingly (error other).	Corrected	d the SE	Q ID NO w	hen obvi	ously inco	rrect. The	sequence	e numt	ers tha	t were e	edited w	ere:	_
Inserted colons after headings/subheadings. Headings edited included: Deleted extra, invalid, headings used by an applicant, specifically: Deleted: non-ASCII "garbage" at the beginning/end of files; secretary initials/filename at end of page numbers throughout text; other invalid text, such as such as secreted an obvious error in the response, specifically: Edited identifiers where upper case is used but lower case is required, or vice versa. Corrected an error in the Number of Sequences field, specifically: A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted. eleted ending stop codon in antino acid sequences and adjusted the "(A)Length:" field accordingly (error other).	nserted c	or correc	ted a nucle	eic numb	er at the er	nd of a nu	cleic line.	SEQ	ID NO's	edited:			-
Deleted extra, invalid, headings used by an applicant, specifically: Sequence 3 - Lebels alphabetical feedings	Corrected applicant	d subhea placed	ding place response	ment. Al	l response e subhead	s must be ling, this v	on the savas moved	ame lin d to its	e as ead appropr	ch subh iate pla	eading. ce.	If the	
Deleted: non-ASCII "garbage" at the beginning/end of files; secretary initials/filename at end of page numbers throughout text; other invalid text, such as Inserted mandatory headings, specifically: Corrected an obvious error in the response, specifically: Edited identifiers where upper case is used but lower case is required, or vice versa. Corrected an error in the Number of Sequences field, specifically: A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted. eleted ending stop codon in angino acid sequences and adjusted the "(A)Length:" field accordingly (error to a Patentin bug). Sequences corrected:	Inserted	colons a	fter headin	ngs/subhe	adings. H	leadings	edited incl	uded:					
Inserted mandatory headings, specifically: Corrected an obvious error in the response, specifically: Edited identifiers where upper case is used but lower case is required, or vice versa. Corrected an error in the Number of Sequences field, specifically: A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted. Releted ending stop codon in antino acid sequences and adjusted the "(A)Length:" field accordingly (error up to a Patentin bug). Sequences corrected:	Deleted 6	extra, in	valid, headi	ings used Lelet	by an app	olicant, sp Lateri	ecifically:	roder	gs_	-			•
Corrected an obvious error in the response, specifically: Edited identifiers where upper case is used but lower case is required, or vice versa. Corrected an error in the Number of Sequences field, specifically: A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted. Deleted ending stop codon in antino acid sequences and adjusted the "(A)Length:" field accordingly (error up to a Patentin bug). Sequences corrected:	Deleted:	e numbe	-ASCII *ga rs through	rbage* at out text;	the begin	ning/end invalid tex	of files; t, such as] secr	etary in	itials/file	ename a	at end of	ile
Corrected an obvious error in the response, specifically: Edited identifiers where upper case is used but lower case is required, or vice versa. Corrected an error in the Number of Sequences field, specifically: A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted. Deleted ending stop codon in antino acid sequences and adjusted the "(A)Length:" field accordingly (error up to a Patentin bug). Sequences corrected:	Inserted	mandat	ory heading	gs, specil	fically:								_
Edited identifiers where upper case is used but lower case is required, or vice versa. Corrected an error in the Number of Sequences field, specifically: A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted. Deleted ending stop codon in antino acid sequences and adjusted the "(A)Length:" field accordingly (error of the codon in antino acid sequences and adjusted the "A)Length:"			rious error	in the res	sponse, sp						47	à, `	
Corrected an error in the Number of Sequences field, specifically: A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted. Deleted ending stop codon in arrono acid sequences and adjusted the "(A)Length:" field accordingly (error to a Patentin bug). Sequences corrected:	Edited id	lentifiers				l lower ca	se is requi	ired, or	vice ve	rsa.	•	3	
A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted. Deleted ending stop codon in antino acid sequences and adjusted the "(A)Length:" field accordingly (errollue to a Patentin bug). Sequences corrected:													
Deleted ending stop codon in amino acid sequences and adjusted the "(A)Length:" field accordingly (errodue to a Patentin bug). Sequences corrected:	Correcte	d an erf	or in the N	umber of	Sequence	s neid, sp	ecilically:						_
due to a PatentIn bug). Sequences corrected:	A *Hard I	Page Br	eak* code	was inse	rted by the	applican	. All occu	ırrence	s had to	be dele	eted.		
Othor	Deleted <i>ei</i> due to a P	<i>nding</i> s Patentin	tắp cođon bug). Seqi	in amino uences c	acid sequenced:	ences and	d adjusted	the *(A	\)Length	n:* field	accordii ———	ngly (erro	r
•													
			•										-
						<u> </u>							_
										- in 11	o fire	t Office	_

Examiner: The above corrections must be communicated to the applicant in the first Office Action. DO NOT send a copy of this form.



1600

RAW SEQUENCE LISTING

DATE: 05/09/2003 TIME: 09:47:36

PATENT APPLICATION: US/09/634,287C

Input Set : A:\PTO.AMC.txt

```
Output Set: N:\CRF4\05092003\1634287C.raw
 3 <110> APPLICANT: BRISTOL-MYERS SQUIBB COMPANY
 5 <120> TITLE OF INVENTION: AGGRECAN DEGRADING METALLO PROTEASES
7 <130> FILE REFERENCE: DM6090 DIV
9 <140> CURRENT APPLICATION NUMBER: 09/634,287C
10 <141> CURRENT FILING DATE: 2000-08-09
12 <150> PRIOR APPLICATION NUMBER: 60/053,850
13 <151> PRIOR FILING DATE: 1997-07-25
15 <150> PRIOR APPLICATION NUMBER: 60/055,836
16 <151> PRIOR FILING DATE: 1997-08-15
18 <150> PRIOR APPLICATION NUMBER: 60/062,169
19 <151> PRIOR FILING DATE: 1997-10-16
21 <160> NUMBER OF SEQ ID NOS: 48
23 <170> SOFTWARE: PatentIn version 3.1
25 <210> SEQ ID NO: 1
26 <211> LENGTH: 4192
27 <212> TYPE: DNA
28 <213> ORGANISM: Homo sapiens
```

30	<400> SEQUI	ENCE: 1					
31	acagacacat	atgcacgaga	gagacagagg	aggaaagaga	cagagacaaa	ggcacagcgg	60
33	aagaaggcag	agacagggca	ggcacagaag	cggcccagac	agagtcctac	agagggagag	120
35	gccagagaag	ctgcagaaga	cacaggcagg	gagagacaaa	gatccaggaa	aggagggctc	180
37				gggcacctct			240
39	tttctccatt	tcctttaacg	gtcctcagcc	cttctgaaaa	ctttgcctct	gaccttggca	300
				gctttccaaa			360
				tgcagtacca			420
45	tcgcatcccg	ggaggggctt	ggcagggcgc	tggctgtggg	gagcccaacc	ctgcctcctg	480
47	ctccccattg	tgccgctctc	ctggctggtg	tggctgcttc	tgctactgct	ggcctctctc	540
49	ctgccctcag	cccggctggc	cagccccctc	ccccgggagg	aggagatcgt	gtttccagag	600
51	aagctcaacg	gcagcgtcct	gcctggctcg	ggcgcccctg	ccaggctgtt	gtgccgcttg	660
53	caggcctttg	gggagacgct	gctactagag	ctggagcagg	actccggtgt	gcaggtcgag	720
55	gggctgacag	tgcagtacct	gggccaggcg	cctgagctgc	tgggtggagc	agagcctggc	780
57	acctacctga	ctggcaccat	caatggagat	ccggagtcgg	tggcatctct	gcactgggat	840
59	gggggagccc	tgttaggcgt	gttacaatat	cggggggctg	aactccacct	ccagcccctg	900
61	gagggaggca	cccctaactc	tgctggggga	cctggggctc	acatcctacg	ccggaagagt	960
63	cctgccagcg	gtcaaggtcc	catgtgcaac	gtcaaggctc	ctcttggaag	ccccagcccc	1020
				ctgagtagat			1080
67	gcagatgaca	agatggccgc	attccacggt	gcggggctaa	agcgctacct	gctaacagtg	1140
69	atggcagcag	cagccaaggc	cttcaagcac	ccaagcatcc	gcaatcctgt	cagcttggtg	1200
71	gtgactcggc	tagtgatcct	ggggtcaggc	gaggagggc	cccaagtggg	gcccagtgct	1260
73	gcccagaccc	tgcgcagctt	ctgtgcctgg	cagcggggcc	tcaacacccc	tgaggactcg	1320
75	gaccctgacc	actttgacac	agccattctg	tttacccgtc	aggacctgtg	tggagtctcc	1380
				ggcaccgtct			1440
				gccttcactg			1500

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF4\05092003\I634287C.raw

```
81 qtcttcaaca tgctccatga caactccaag ccatgcatca gtttgaatgg gcctttgagc
                                                                        1560
83 acctetegee atgreatgge ecetgtgatg geteatgtgg atectgagga geeetggtee
                                                                        1620
                                                                        1680
85 ccctgcagtg cccgcttcat cactgacttc ctggacaatg gctatgggca ctgtctctta
                                                                        1740
87 gacaaaccag aggetecatt geatetgeet gtgaetttee etggeaagga etatgatget
89 gaccgccagt gccagctgac cttcgggccc gactcacgcc attgtccaca gctgccgccg
                                                                        1800
91 ccctqtqctq ccctctqqtq ctctqqccac ctcaatggcc atgccatgtg ccagaccaaa
                                                                        1860
93 cactegeet qqqccqatqq cacaccetqe qqqccqcac aggcetgcat gggtggtcgc
                                                                        1920
95 tgcctccaca tggaccagct ccaggacttc aatattccac aggctggtgg ctggggtcct
                                                                        1980
97 tggggaccat ggggtgactg ctctcggacc tgtgggggtg gtgtccagtt ctcctcccga
                                                                        2040
99 gactgcacga ggcctgtccc ccggaatggt ggcaagtact gtgagggccg ccgtacccgc
                                                                        2100
101 ttccgctcct gcaacactga ggactgccca actggctcag ccctgacctt ccgcgaggag
                                                                         2160
103 cagtgtgctg cctacaacca ccgcaccgac ctcttcaaga gcttcccagg gcccatggac
                                                                         2220
105 tgggttcctc gctacacagg cgtggccccc caggaccagt gcaaactcac ctgccaggcc
                                                                         2280
107 cgggcactgg gctactacta tgtgctggag ccacgggtgg tagatgggac cccctgttcc
                                                                         2340
109 ccggacaget ceteggtetg tgtccaggge cgatgcatee atgetggetg tgategeate
                                                                         2400
111 attggctcca agaagaagtt tgacaagtgc atggtgtgcg gaggggacgg ttctggttgc
                                                                         2460
113 agcaagcagt caggctcctt caggaaattc aggtacggat acaacaatgt ggtcactatc
                                                                         2520
115 cccgcggggg ccacccacat tcttgtccgg cagcagggaa accctggcca ccggagcatc
                                                                         2580
117 tacttggccc tgaagctgcc agatggctcc tatgccctca atggtgaata cacgctgatg
                                                                         2640
119 ccctccccca cagatgtggt actgcctggg gcagtcagct tgcgctacag cggggccact
                                                                         2700
121 gcagcctcag agacactgtc aggccatggg ccactggccc agcctttgac actgcaagtc
                                                                         2760
123 ctagtggctg gcaaccccca ggacacacgc ctccgataca gcttcttcgt gccccggccg
                                                                         2820
125 acccetteaa egecaegeee eacteeceag gaetggetge accgaagage acagattetg
                                                                         2880
127 gagateette ggeggegeee etgggeggge aggaaataac etcaetatee eggetgeeet
                                                                         2940
129 ttctgggcac cggggcctcg gacttagctg ggagaaagag agagcttctg ttgctgcctc
                                                                         3000
131 atgctaagac tcagtgggga ggggctgtgg gcgtgagacc tgcccctcct ctctgcccta
                                                                         3060
133 atgcgcaggc tggccctgcc ctggtttcct gccctgggag gcagtgatgg gttagtggat
                                                                         3120
135 ggaaggggct gacagacagc cctccatcta aactgccccc tctgccctgc gggtcacagg
                                                                         3180
137 agggagggg aaggcaggga gggcctgggc cccagttgta tttatttagt atttattcac
                                                                         3240
139 ttttatttag caccagggaa ggggacaagg actagggtcc tggggaacct gacccctqac
                                                                         3300
141 ccctcatage cctcaecetg gggctaggaa atccagggtg gtggtgatag gtataagtgg
                                                                         3360
143 tgtgtgtatg cgtgtgtgt tgtgtgtgaa aatgtgtgtg tgcttatgta tgaggtacaa
                                                                         3420
145 cctqttctqc tttcctcttc ctgaatttta ttttttggga aaagaaaagt caagggtagg
                                                                         3480
                                                                         3540
147 qtqqqccttc agggagtgag ggattatcct tttttttttc tttctttctt tcttttttt
149 tttgagacag aatctcgctc tgtcgcccag gctggagtgc aatggcacaa tctcggctca
                                                                         3600
151 ctgcatcctc cgcctcccgg gttcaagtga ttctcatgcc tcagcctcct gagtagctgg
                                                                         3660
153 gattacagge tectgecace acgeeegget aatttttgtt ttgttttgtt tggagacaga
                                                                         3720
155 gtctcgctat tgtcaccagg gctggaatga tttcagctca ctgcaacctt cgccacctgg
                                                                         3780
157 gttccagcaa ttctcctgcc tcagcctccc gagtagctga gattataggc acctaccacc
                                                                         3840
                                                                         3900
159 acqcccqqct aatttttgta tttttagtag agacggggtt tcaccatgtt ggccaggctg
161 gtctcgaact cctgacctta ggtgatccac tcgccttcat ctcccaaagt gctgggatta
                                                                         3960
163 caggcgtgag ccaccgtgcc tggccacgcc caactaattt ttgtattttt agtagagaca
                                                                         4020
165 gggtttcacc atgttggcca ggctgctctt gaactcctga cctcaggtaa tcgacctgcc
                                                                         4080
167 tcggcctccc aaagtgctgg gattacaggt gtgagccacc acgcccggta catattttt
                                                                         4140
                                                                         4192
169 aaattgaatt ctactattta tgtgatcctt ttggagtcag acagatgtgg gt
172 <210> SEQ ID NO: 2
173 <211> LENGTH: 837
```

174 <212> TYPE: PRT

175 <213> ORGANISM: Homo sapiens

Input Set : A:\PTO.AMC.txt

177	<400	0> S1	EOHE	VCE.	2											
						Ser	His	Pro	Glv	Ara	Glv	Leu	Ala	Gly	Ara	Trp
180		DCI	0111	1111	5	001			011	10	0-1			0 -1	15	
	_	Trn	Glv	Δla	-	Pro	Cvs	T.e.ii	Len		Pro	Tle	Va1	Pro		Ser
184	пси	111	OLY	20	OIII	110	C	Deu	25	Deu	110			30		001
	Trn.	T.011	Va 1		T.e.ii	T.e.11	T.e.ii	T.en		Len	Δla	Ser	Len	Leu	Pro	Ser
188	115	цец	35	115	пеа	пси	пси	40	пса	пси	niu	DCI	45	шса	110	DCL
	λla	Δra		·Δla	Ser	Pro	T.011		Δra	Glu	Glu	Glu		Val	Phe	Pro
192	лти	50	LCu	AIU	JCI	110	55	110	my	Olu	014	60	110	, 42	1110	110
	Glu		T.011	Δen	Glv	Sor		T.011	Pro	Glv	Ser		Δla	Pro	Δla	Αrσ
196		цуо	Leu	11511	OI,	70	, u	LCu	110		75	O#1				80
		T.e.11	Cvs	Δrα	T.e.ii		Δla	Phe	Glv	Glu		Len	Len	Leu	Glu	
200	пеа	пец	Cys	лгу	85	OIII	niu	THE	OLY	90	1111	пси	БСи	Lou	95	ЦСu
	Glu	Gln	Δen	Ser		Va 1	Gln	Val	Glu		Len	Thr	Va 1	Gln		Leu
204	GIU	GIII	дэр	100	GLY	VUI	GIII	vul	105	OLY	пси	1111	Val	110	-1-	Deu
	Glv	Gln	Δla		Glu	T.e.11	T.eu	G1 v		Δla	Glu	Pro	Glv	Thr	Ψvr	Len
208	СТУ	GIII	115	FIO	GIU	пса	пси	120	GLY	niu	OIU	110	125	1111	-11-	пси
	ጥክ r	Glv		Tlo	Δcn	Glv	Δsn		Glu	Ser	Va 1	Δla		Leu	His	Trn
212	1111	130	1111	110	ASII	OI,	135	110	GIU	DCI	vai	140	DCI	БСС		P
	λen		Glv	λla	T.e.u	Τ.Δ11		Va 1	T.eu	Gln	Tur	_	Glv	Ala	Glu	T.eu
	145	GLY	СТУ	ліа	Deu	150	GLY	Vai	пси	GIII	155	nrg	GLY	nia	014	160
		T.011	Gln	Dro	T.011		Glv	Glv	Thr	Pro		Ser	Δla	Gly	Glv	
220	1113	пси	0111	110	165	OIU	OLI	OL,	1111	170	71011	501	*****	011	175	110
	Glv	Δla	Hic	Tla		Δra	Δrσ	T.vc	Ser		Δla	Ser	Glv	Gln		Pro
224	Gry	пта	1113	180	пси	my	my	ny 5	185	110	1114	DCI	0+1	190	011	110
	Met	Cvs	Δcn		T.ve	Δla	Pro	Leu		Ser	Pro	Ser	Pro	Arg	Pro	Ara
228	ncc	Cys	195	741	Lys		110	200	011	001		501	205	**** 5		
	Δra	Δla		Δrσ	Phe	Δla	Ser		Ser	Ara	Phe	Val		Thr	Len	Va 1
232	1119	210	כעם	1119	1110	1114	215	БСи	001	**** 9	1	220	Olu		Dou	,
	Va l		Δen	Δen	T.vc	Met		Δla	Phe	Нiс	Glv		Glv	Leu	Lvs	Arσ
236		ALU	пор	тор	ц	230	mu	u	1110		235	****	017	DCu.	2,0	240
		T.011	T.011	Thr	Val		Δla	Δla	Δla	λla		Δla	Phe	Lys	His	
240	-1-	шси	шец		245	1100				250	_10	****		_1,	255	
	Ser	Tle	Arα	Asn		Val	Ser	Len	Val		Thr	Arσ	Leu	Val		Leu
244	501	110	**** 9	260		, 41	001	Deu	265	,		5		270		
	Glv	Ser	Glv		Glu	Glv	Pro	Gln		Glv	Pro	Ser	Ala	Ala	Gln	Thr
248	027	001	275	014	014			280		011			285			
	Leu	Arσ		Phe	Cvs	Ala	Tro		Ara	Glv	Leu	Asn		Pro	Glu	Asp
252	Dou	290	001		0,0		295			011		300				
	Ser		Pro	Asp	His	Phe		Thr	Ala	Ile	Leu		Thr	Arg	Gln	Asp
256						310					315				-	320
		Cvs	Glv	Val	Ser		Cvs	Asp	Thr	Leu		Met	Ala	Asp	Val	
260		-1-	1		325		-1-			330	1				335	1
	Thr	Val	Cvs	Asp		Ala	Arq	Ser	Cvs		Ile	Val	Glu	Asp	Asp	Gly
264			- 2 -	340			•		345					350	•	_
	Leu	Gln	Ser		Phe	Thr	Ala	Ala	His	Glu	Leu	Gly	His	Val	Phe	Asn
268			355					360				-	365			
	Met	Leu	His	Asp	Asn	Ser	Lys	Pro	Cys	Ile	Ser	Leu	Asn	Gly	Pro	Leu
272		370		-			375					380	•	_		

Input Set : A:\PTO.AMC.txt

	Ser 385	Thr	Ser	Arg	His	Val 390	Met	Ala	Pro	Val	Met 395	Ala	His	Val	Asp	Pro 400
279 280	Glu	Glu	Pro	Trp	Ser 405	Pro	Cys	Ser	Ala	Arg 410	Phe	Ile	Thr	Asp	Phe 415	Leu
	Asp	Asn	Gly	Tyr 420	Gly	His	Cys	Leu	Leu 425	Asp	Lys	Pro	Glu	Ala 430	Pro	Leu
	His	Leu	Pro 435		Thr	Phe	Pro	Gly 440		Asp	Tyr	Asp	Ala 445	Asp	Arg	Gln
291	Cys			Thr	Phe	Gly	Pro 455		Ser	Arg	His	Cys		Gln	Leu	Pro
292 295	Pro	450 Pro	Cys	Ala	Ala			Cys	Ser	Gly			Asn	Gly	His	
296	465					470					475					480
299 300	Met	Cys	Gln	Thr	Lys 485	His	Ser	Pro	Trp	Ala 490	Asp	Gly	Thr	Pro	Cys 495	Gly
303 304	Pro	Ala	Gln	Ala 500	Cys	Met	Gly	Gly	Arg 505	Cys	Leu	His	Met	Asp 510	Gln	Leu
	Gln	Asp	Phe 515	Asn	Ile	Pro	Gln	Ala 520	Gly	Gly	Trp	Gly	Pro 525	Trp	Gly	Pro
	Trn	Clv		Cve	Sor	λνα	Thr		Glv	G1 v	G1 ₃₇	Va 1		Phe	Ser	Ser
312		530					535					540				
316	545	_			_	550					555			Tyr		560
319 320	Gly	Arg	Arg	Thr	Arg 565	Phe	Arg	Ser	Cys	Asn 570	Thr	Glu	Asp	Cys	Pro 575	Thr
323 324	Gly	Ser	Ala	Leu 580	Thr	Phe	Arg	Glu	Glu 585	Gln	Cys	Ala	Ala	Tyr 590	Asn	His
327 328	Arg	Thr	Asp 595	Leu	Phe	Lys	Ser	Phe 600	Pro	Gly	Pro	Met	Asp 605	Trp	Val	Pro
331 332	Arg	Tyr 610	Thr	Gly	Val	Ala	Pro 615	Gln	Asp	Gln	Cys	Lys 620	Leu	Thr	Cys	Gln
335	Ala 625	Arg	Ala	Leu	Gly	Tyr 630	Tyr	Tyr	Val	Leu	Glu 635	Pro	Arg	Val	Val	Asp 640
		Thr	Pro	·Cvs	Ser		Asp	Ser	Ser	Ser	-	Cvs	Val	Gln	Glv	
340	_			_	645		_			650					655	
343	cys	ire	HIS	660	GIŸ	cys	Asp	Arg	665	11e	СТА	ser	гàг	Lys 670	ьys	Pne
347 348	Asp	Lys	Cys 675	Met	Val	Cys	Gly	Gly 680	Asp	Gly	Ser	Gly	Cys 685	Ser	Lys	Gln
	Ser	Glv		Phe	Ara	Lvs	Phe		Tvr	Glv	Tvr	Asn		Val	Val	Thr
352		_			_	-1-		_	_	-						
													Gln	Gly	Asn	Pro
	705			0 -1		710					715			1		720
		His	Ara	Ser	Ile		Leu	Ala	Leu	Lvs		Pro	Asp	Gly	Ser	
360	1		5		725	-1-				730				1	735	- 4 -
	Ala	Leu	Asn	Gly	Glu	Tyr	Thr	Leu	Met		Ser	Pro	Thr	Asp		Val
364				740		-			745					750		
	Leu	Pro	Gly 755	Ala	Val	Ser	Leu	Arg 760	Tyr	Ser	Gly	Ala	Thr 765	Ala	Ala	Ser
	Glu	Thr		Ser	Gly	His	Gly		Leu	Ala	Gln	Pro		Thr	Leu	Gln

RAW SEQUENCE LISTING DATE: 05/09/2003 PATENT APPLICATION: US/09/634,287C TIME: 09:47:36 Input Set : A:\PTO.AMC.txt Output Set: N:\CRF4\05092003\1634287C.raw 775 375 Val Leu Val Ala Gly Asn Pro Gln Asp Thr Arg Leu Arg Tyr Ser Phe 790 795 805 810 825 820

379 Phe Val Pro Arg Pro Thr Pro Ser Thr Pro Arg Pro Thr Pro Gln Asp 383 Trp Leu His Arg Arg Ala Gln Ile Leu Glu Ile Leu Arg Arg Pro 384 387 Trp Ala Gly Arg Lys 835 388 391 <210> SEQ ID NO: 3 W--> 392 <400> SEQUENCE: 3 W--> 393 000 395 <210> SEQ ID NO: 4 396 <211> LENGTH: 26 397 <212> TYPE: PRT 398 <213> ORGANISM: Bos taurus 400 <400> SEQUENCE: 4 402 Phe Ala Ser Leu Ser Arg Val Glu Thr Leu Val Val Ala Asp Asp Lys 406 Met Ala Ala Phe His Gly Ala Gly Leu Lys 407 20 410 <210> SEQ ID NO: 5 411 <211> LENGTH: 7 412 <212> TYPE: PRT 413 <213> ORGANISM: Bos taurus 415 <400> SEQUENCE: 5 417 Tyr Thr Gly Val Ala Pro Arg 418 1 421 <210> SEQ ID NO: 6 422 <211> LENGTH: 11 423 <212> TYPE: PRT 424 <213> ORGANISM: Bos taurus 426 <400> SEQUENCE: 6 428 Ala Leu Gly Tyr Tyr Tyr Val Leu Asp Pro Arg 429 1 432 <210> SEQ ID NO: 7 433 <211> LENGTH: 21 434. <212> TYPE: DNA 435 <213> ORGANISM: Mus musculus 437 <400> SEQUENCE: 7 21 438 gggggtggtg tccagttctc c 441 <210> SEQ ID NO: 8 442 <211> LENGTH: 23 443 <212> TYPE: DNA 444 <213> ORGANISM: Mus musculus 446 <400> SEQUENCE: 8 447 ggccctggaa agctcttgaa gag 450 <210> SEQ ID NO: 9

372

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 05/09/2003 PATENT APPLICATION: US/09/634,287C TIME: 09:47:37

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF4\05092003\1634287C.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:21; Xaa Pos. 12



1600

DATE: 05/07/2003 RAW SEQUENCE LISTING PATENT APPLICATION: US/09/634,287C TIME: 13:34:19

Input Set : A:\DM6909.ST25.txt

Output Set: N:\CRF4\05072003\1634287C.raw

```
3 <110> APPLICANT: BRISTOL-MYERS SQUIBB COMPANY
 5 <120> TITLE OF INVENTION: AGGRECAN DEGRADING METALLO PROTEASES
7 <130> FILE REFERENCE: DM6090 DIV
9 <140> CURRENT APPLICATION NUMBER: 09/634,287C
10 <141> CURRENT FILING DATE: 2000-08-09
12 <150> PRIOR APPLICATION NUMBER: 60/053,850
13 <151> PRIOR FILING DATE: 1997-07-25
15 <150> PRIOR APPLICATION NUMBER: 60/055,836
16 <151> PRIOR FILING DATE: 1997-08-15
18 <150> PRIOR APPLICATION NUMBER: 60/062,169
19 <151> PRIOR FILING DATE: 1997-10-16
21 <160> NUMBER OF SEQ ID NOS: 48
```

23 <170> SOFTWARE: PatentIn version 3.1

Does Not Comply Corrected Diskette Needed

ERRORED SEQUENCES

```
andelete
E--> 391 <210> SEQ ID NO: SEQ ID NO:
E--> 392 <400> SEQUENCE: SEQ-ID-NO+
W--> 393 000
     395 <210> SEQ ID NO: 4
     396 <211> LENGTH: 26
     397 <212> TYPE: PRT
     398 <213> ORGANISM: Bos taurus
     400 <400> SEQUENCE: 4
     402 Phe Ala Ser Leu Ser Arg Val Glu Thr Leu Val Val Ala Asp Asp Lys
     403 1
                         5
     406 Met Ala Ala Phe His Gly Ala Gly Leu Lys
     407
                     20
     410 <210> SEQ ID NO: 5
     411 <211> LENGTH: 7
     412 <212> TYPE: PRT
     413 <213> ORGANISM: Bos taurus
     415 <400> SEQUENCE: 5
     417 Tyr Thr Gly Val Ala Pro Arg
     418 1
     421 <210> SEQ ID NO: 6
     422 <211> LENGTH: 11
     423 <212> TYPE: PRT
     424 <213> ORGANISM: Bos taurus
     426 <400> SEQUENCE: 6
     428 Ala Leu Gly Tyr Tyr Tyr Val Leu Asp Pro Arg
     429 1
```

Input Set : A:\DM6909.ST25.txt

```
432 <210> SEQ ID NO: 7
433 <211> LENGTH: 21
434 <212> TYPE: DNA
435 <213> ORGANISM: Mus musculus
437 <400> SEQUENCE: 7
                                                                            21
438 gggggtggtg tccagttctc c
441 <210> SEQ ID NO: 8
442 <211> LENGTH: 23
443 <212> TYPE: DNA
444 <213> ORGANISM: Mus musculus
446 <400> SEQUENCE: 8
447 ggccctggaa agctcttgaa gag
                                                                            23
450 <210> SEQ ID NO: 9
451 <211> LENGTH: 23
452 <212> TYPE: DNA
453 <213> ORGANISM: Homo sapiens
455 <400> SEQUENCE: 9
                                                                            23
456 ccccggaatg gtggcaagta ctg
459 <210> SEQ ID NO: 10
460 <211> LENGTH: 23
461 <212> TYPE: DNA
462 <213> ORGANISM: Homo sapiens
464 <400> SEQUENCE: 10
465 acccacatct gtctgactcc aaa
                                                                            23
468 <210> SEQ ID NO: 11
469 <211> LENGTH: 23
470 <212> TYPE: DNA
471 <213> ORGANISM: Homo sapiens
473 <400> SEQUENCE: 11
474 ccagttgggc agtcctcagt gtt
                                                                            23
477 <210> SEQ ID NO: 12
478 <211> LENGTH: 22
479 <212> TYPE: DNA
480 <213> ORGANISM: Homo sapiens
482 <400> SEQUENCE: 12
483 ggtcggtgcg gtggttgtag gc
                                                                            22
486 <210> SEQ ID NO: 13
487 <211> LENGTH: 17
488 <212> TYPE: PRT
489 <213> ORGANISM: Homo sapiens
491 <400> SEQUENCE: 13
493 Cys Ala Ser Leu Ser Arg Phe Val Glu Thr Leu Val Val Ala Asp Asp
494 1
497 Lys
501 <210> SEQ ID NO: 14
502 <211> LENGTH: 3250
503 <212> TYPE: DNA
504 <213> ORGANISM: Homo sapiens
506 <400> SEQUENCE: 14
```

Input Set : A:\DM6909.ST25.txt

	tgactcaatc			_			60
	gcaaataaca						120
	atgctgctcg						180
	ggccccgccg						240
515	gcccagcccc	gccggcggca	gggggaggag	gtgcaggagc	gagccgagcc	tcccggccac	300
517	ccgcaccccc	tggcgcagcg	gcgcaggagc	aaggggctgg	tgcagaacat	cgaccaactc	360
519	tactccggcg	gcggcaaggt	gggctacctc	gtctacgcgg	gcggccggag	gttcctcttg	420
521	gacctggagc	gagatggttc	ggtgggcatt	gctggcttcg	tgcccgcagg	aggcgggacg	480
523	agtgcgccct	ggcgccaccg	gagccactgc	ttctatcggg	gcacagtgga	cgctagtccc	540
525	cgctctctgg	ctgtctttga	cctctgtggg	ggtctcgacg	gcttcttcgc	ggtcaagcac	600
527	gcgcgctaca	ccctaaagcc	actgctgcgc	ggaccctggg	cggaggaaga	aaaggggcgc	660
529	gtgtacgggg	atgggtccgc	acggatcctg	cacgtctaca	cccgcgaggg	cttcagcttc	720
531	gaggccctgc	cgccgcgcgc	cagctgcgaa	acccccgcgt	ccacaccgga	ggcccacgag	780
533	catgctccgg	cgcacagcaa	cccgagcgga	cgcgcagcac	tggcctcgca	gctcttggac	840
	cagtccgctc						900
	cgctccatct						960
	cggttgtatg						1020
	ctgtacagcc						1080
	ctaggcgaca						1140
	ttttgcaagt						1200
	gcagctatcc						1260
	atggcagacg						1320
	ggcctccacg						1380
	gacgattcca						1440
	tccatcctta						1500
	acagaattcc						1560
	ctgggccccg						1620
	ttcgggcctg					_	1680
	gtggtacgcc						1740
	ccttgtggaa						1800
	tattattcaa						1860
	cgctcatgtg						1920
	aacaacggac						1980
573		atggtaaatc					2040
	tctgatgcaa						2100
	ccagcggatg	-			_		2160
	tctccaaagg						2220
	gggaagtgtg				-		2280
	tgcggagtat						2340
	aaaagtaagg						2400
	cgacagttca						2460
	aacggtgagt						2520
	atcaatggaa						2580
	atgggctact						2640
	aaaccattag						2700
	tctgtcacta						2760
	acgggcccat						2820
	cagtgccagg						2880
	gcgtttaagc						2940
003	ycylclaayc	aacycecyce	yaayaaatyt	cayoocycyg	ceacyatett	acycacaaag	4340

Input Set : A:\DM6909.ST25.txt

607 609 611 613 615 618 619	gaad tgto aac ggg ctt <21 <21	agtogacce ttgg gaca taat 0> S 1> L	atg (aaa a gag (ttt (cttca agagg ttat gaaga D NO	agtga gatga tgaad atggo	ac at tg ca ca te	ttgte actge	caaca cttca tggga	a gga a cga a tta	agtc tgac acaa	caat agtg gaaa	tate gtg: cac	gggc acct tgat	aga i tgc i gaa i	atct aata tgtt	cgcaca gctctc tagaaa aaatca gaatgt	3000 3060 3120 3180 3240 3250
			RGAN:		TT am.			_									
) Saj	этеп	5									
			EQUE			710	000	т он	T 011	Tou	Crra	31 5	Dho	7 ~~	T ou	Dro	
		Leu	Leu	GIA	11p	Ald	ser	ьеи	ьeu	10	Cys	Ата	Pile	ALY	15	PIO	
626		7 7 -	31 5	17-1	-	Dro	71-	7 1 n	πh∽		. הוג	Cln	λαν	T 170		C1.	
630	ьец	Ala	Ala	20	GIY	PIO	АІа	Ата	25	PIO	нта	GIII	ASP	30	на	сту	
	Cln	Dro	Dro		λl ¬	715	7 J ¬	7 15		Cln	Dro	λ ~~	7 ~~		Cln	C1**	
634	GIII	PIO	Pro 35	1111	нта	нта	нта	40	нта	GIII	PIO	ALY	45	ALY	GIII	GIY	
	C1	C1		Cln	Cl.	1 ~~	λl-		Dro	Dro	C1++	Пiс		ui c	Dro	Lou	
638	GIU	50	Val	GIII	GIU	AIG	55	GIU	PIO	PLO	GIA	60	PIO	птэ	PIO	цец	
	λla		Arg	λνα	λνα	cor		C117	LOU	Val	Cln		Tlo	λen	G1n	Len	
642		GIII	ALY	мту	ALY	70	цуз	Gry	цец	Val	75	Nall	116	кар	GIII	80	
		Car	Gly	G1v	Glw		Va 1	G1v	Тиг	Τ.Δ.11		ጥኒንድ	λla	Glv	Glv		
646	- 7 -	Jei	GLY	OLY	85	цу	Val	OLY	111	90	741	+1-	niu	OLY	95	1119	
	Δτα	Phe	Leu	T.@11	-	Len	Glu	Δrσ	Asn		Ser	Va 1	Glv	Tle		Glv	
650	**** 9	1 110	пси	100		БСи	Olu	*** 9.	105		001	***	011	110		011	
	Phe	Val	Pro		Glv	Glv	Glv	Thr		Ala	Pro	Trp	Arσ		Ara	Ser	
654		,	115		U-1	0-1	0-1	120	001				125		5		
	His	Cvs	Phe	Tvr	Ara	Glv	Thr		Asp	Ala	Ser	Pro		Ser	Leu	Ala	
658		130	_	-	,	- 4	135		- L		-	140	,				
	Val	Phe	Asp	Leu	Cys	Gly	Gly	Leu	Asp	Gly	Phe	Phe	Ala	Val	Lys	His	
	145		-		-	150	-		-	-	155				_	160	
665	Ala	Arg	Tyr	Thr	Leu	Lys	Pro	Leu	Leu	Arg	Gly	Pro	Trp	Ala	Glu	Glu	
666		_	_		165					170			_		175		
669	Glu	Lys	Gly	Arg	Val	Tyr	Gly	Asp	Gly	Ser	Ala	Arg	Ile	Leu	His	Val	
670				180					185					190			
673	Tyr	Thr	Arg	Glu	Gly	Phe	Ser	Phe	Glu	Ala	Leu	Pro	Pro	Arg	Ala	Ser	
674			195					200					205				
677	Cys	Glu	Thr	Pro	Ala	$\operatorname{\mathtt{Ser}}$		Pro	Glu	Ala	His		His	Ala	Pro	Ala	
678		210					215					220					
		Ser	Asn	Pro	Ser		Arg	Ala	Ala	Leu		Ser	Gln	Leu	Leu		
	225					230					235					240	
	Gln	Ser	Ala	Leu		Pro	Ala	Gly	Gly		Gly	Pro	Gln	Thr		Trp	
686					245		_			250					255	_	
	Arg	Arg	Arg	_	Arg	Ser	Ile	Ser	_	Ala	Arg	Gln	Val		Leu	Leu	
690	_			260		_			265	_	_	a 3	_	270		61 .	
	ьeu	val	Ala	Asp	Ala	ser	met		Arg	ьeu	Tyr	GTA	_	GTA	ьeu	GIN	
694	TT 2 -	m	275		m 1	T		280	T 7 .		*		285	m	0	11 d e	
	HIS		Leu	Leu	Thr	ьeu		ser	тте	АТа	Asn		ьeu	туr	ser	HIS	
698		290					295					300					

Input Set : A:\DM6909.ST25.txt

701	Ala	Ser	Ile	Glu	Asn	His	Ile	Arq	Leu	Ala	Val	Val	Lvs	Val	Val	Val
	305					310		5			315		-1-			320
705	Leu	Gly	Asp	Lys	Asp	Lys	Ser	Leu	Glu	Val	Ser	Lys	Asn	Ala	Ala	Thr
706					325					330					335	
	Thr	Leu	Lys		Phe	Cys	Lys	\mathtt{Trp}		His	Gln	His	Asn		Leu	Gly
710		_		340		•	_	_	345			_		350	_	
	Asp	Asp		GLu	GLu	His	Tyr		Ala	Ala	IIe	Leu		Thr	Arg	GLu
714		T 011	355	C1	II i o	ni a	Cor	360 Cvc	N on	mh m	Ton	C1	365	ת ד ת	N an	Wa I
718	Asp	370	Cys	СТУ	птэ	птэ	375	Cys	ASP	1111	ьeu	380	Mec	Ala	wsb	Val
	Gly		Tle	Cvs	Ser	Pro		Ara	Ser	Cvs	Ala		Tle	Glu	Asp	Asp
	385			010	001	390			-	0,0	395	,				400
725	Gly	Leu	His	Ala	Ala	Phe	Thr	Val	Ala	His	Glu	Ile	Gly	His	Leu	Leu
726	-				405					410			_		415	
729	Gly	Leu	Ser	His	Asp	Asp	Ser	Lys	Phe	Cys	Glu	Glu	Thr	Phe	Gly	Ser
730				420					425					430		
	Thr	Glu	_	Lys	Arg	Leu	Met		Ser	Ile	Leu	Thr		Ile	Asp	Ala
734		.	435		a	.	G	440	a		m1	T1.	445	01	Db.	+
738	Ser	ьуs 450	Pro	Trp	ser	гàг	455	Thr	ser	АТа	Thr	460	Tnr	GIU	Pne	Leu
	Asp		C1 v	Uic	G1v	λen		T.OII	T.011	Δen	T.011		Δνα	T.yze	Gln	Tla
	465	тэр	GLY	птэ	GLY	470	Суз	пси	пец	изр	475	110	nrg	БYЗ	GIII	480
	Leu	Glv	Pro	Glu	Glu		Pro	Glv	Gln	Thr		Asp	Ala	Thr	Gln	
746		4			485			4		490	- 4 -				495	
749	Cys	Asn	Leu	Thr	Phe	Gly	Pro	Glu	Tyr	Ser	Val	Cys	Pro	Gly	Met	Asp
750				500					505					510		
	Val	Cys		Arg	Leu	\mathtt{Trp}	Cys		Val	Val	Arg	Gln	-	Gln	Met	Val
754	_	_	515	_	_	_	_	520				_,	525	_		_
	Cys		Thr	Lys	Lys	Leu		А1а	Val	GLu	GLY		Pro	Cys	GIY	ьуs
758	Gly	530	т10	Crrc	T 011	Cln	535	Two	Cvra	1751	7 02	540	Пhr	Two	Two	Two
	545	AIG	116	Cys	пеа	550	GIY	цуз	Суз	Val	555	цуз	1111	цуз	цуз	560
	Tyr	Tvr	Ser	Thr	Ser		His	Glv	Asn	Trp		Ser	Tro	Glv	Ser	
766	-1-	-1-			565			2		570	1				575	
769	Gly	Gln	Cys	Ser	Arg	Ser	Cys	Gly	Gly	Gly	Val	Gln	Phe	Ala	Tyr	Arg
770				580					585					590		
	His	Cys		Asn	Pro	Ala	Pro	_	Asn	Asn	Gly	Arg	_	Cys	Thr	Gly
774	_	_	595		_	_	_	600	_	_		_	605	_	_	_
	Lys		Ala	Ile	Tyr	Arg		Cys	Ser	Leu	Met		Cys	Pro	Pro	Asn
778	C1	610	Com	Dho	7	ni a	615	C1 n	Crra	C1	71-	620	N an	C1	Штт	Cln
	Gly 625	гуу	ser	Pile	Arg	630	GIU	GTII	Cys	GIU	635	гуѕ	ASII	GIY	тут	640
	Ser	Asn	Δla	T.vs	Glv		Lvs	Thr	Phe	Va 1		Tro	Val	Pro	Lvs	
786				-10	645		-10			650		r			655	-1-
	Ala	Gly	Val	Leu		Ala	Asp	Val	Cys		Leu	Thr	Cys	Arg		Lys
790		-		660			-		665	_			_	670		-
793	Gly	Thr	Gly	Tyr	Tyr	Val	Val	Phe	Ser	Pro	Lys	Val	Thr	Asp	Gly	Thr
794			675					680					685			
797	Glu	Cys	Arg	Pro	Tyr	Ser	Asn	Ser	Val	Cys	Val	Arg	Gly	Lys	Cys	Val

Input Set : A:\DM6909.ST25.txt

Output Set: N:\CRF4\05072003\I634287C.raw

```
690
                            695
801 Arg Thr Gly Cys Asp Gly Ile Ile Gly Ser Lys Leu Gln Tyr Asp Lys
                        710
                                            715
805 Cys Gly Val Cys Gly Gly Asp Asn Ser Ser Cys Thr Lys Ile Val Gly
                   725
                                       730
809 Thr Phe Asn Lys Lys Ser Lys Gly Tyr Thr Asp Val Val Arg Ile Pro
                                    745
                740
813 Glu Gly Ala Thr His Ile Lys Val Arg Gln Phe Lys Ala Lys Asp Gln
817 Thr Arg Phe Thr Ala Tyr Leu Ala Leu Lys Lys Lys Asn Gly Glu Tyr
                            775
821 Leu Ile Asn Gly Lys Tyr Met Ile Ser Thr Ser Glu Thr Ile Ile Asp
                        790
                                           795
825 Ile Asn Gly Thr Val Met Asn Tyr Ser Gly Trp Ser His Arg Asp Asp
                    805
                                        810
829 Phe Leu His Gly Met Gly Tyr Ser Ala Thr Lys Glu Ile Leu Ile Val
              820
                                    825
833 Gln Ile Leu Ala Thr Asp Pro Thr Lys Pro Leu Asp Val Arg Tyr Ser
           835
                               840
837 Phe Phe Val Pro Lys Lys Ser Thr Pro Lys Val Asn Ser Val Thr Ser
                            855
                                                860
841 His Gly Ser Asn Lys Val Gly Ser His Thr Ser Gln Pro Gln Trp Val
                        870
                                            875
845 Thr Gly Pro Trp Leu Ala Cys Ser Arg Thr Cys Asp Thr Gly Trp His
                    885
                                        890
849 Thr Arg Thr Val Gln Cys Gln Asp Gly Asn Arg Lys Leu Ala Lys Gly
                                   905
853 Cys Pro Leu Ser Gln Arg Pro Ser Ala Phe Lys Gln Cys Leu Leu Lys
854
            915
                               920
857 Lys Cys
858
      930
861 <210> SEQ ID NO: 16
862 <211> LENGTH: 42
863 <212> TYPE: PRT
864 <213> ORGANISM: Homo sapiens
866 <400> SEQUENCE: 16
868 Ser Ile Ser Arg Ala Arg Gln Val Glu Leu Leu Leu Val Ala Asp Ala
872 Ser Met Ala Arg Met Tyr Gly Arg Gly Leu Gln His Tyr Leu Leu Thr
       20
876 Leu Ala Ser Ile Ala Asn Lys Leu Tyr Phe
           35
880 <210> SEQ ID NO: 17
881 <211> LENGTH: 23
882 <212> TYPE: DNA
883 <213> ORGANISM: Mus musculus
885 <400> SEQUENCE: 17
886 cggccacgac cctcaagaac ttt
889 <210> SEO ID NO: 18
```

23

Input Set : A:\DM6909.ST25.txt

Output Set: N:\CRF4\05072003\1634287C.raw

```
890 <211> LENGTH: 25
     891 <212> TYPE: DNA
     892 <213> ORGANISM: Mus musculus
     894 <400> SEQUENCE: 18
     895 gcatggaggc catcatcttc aatca
                                                                                 25
     898 <210> SEQ ID NO: 19
     899 <211> LENGTH: 22
     900 <212> TYPE: DNA
     901 <213> ORGANISM: Homo sapiens
     903 <400> SEQUENCE: 19
                                                                                 22
     904 gggaggattt atgtgggcat ca
     907 <210> SEQ ID NO: 20
     908 <211> LENGTH: 23
     909 <212> TYPE: DNA
     910 <213> ORGANISM: Homo sapiens
     912 <400> SEQUENCE: 20
                                                                                 23
     913 gtgcatttgg accagggctt aga
     916 <210> SEQ ID NO: 21
     917 <211> LENGTH: 13
     918 <212> TYPE: PRT
     919 <213> ORGANISM: Artificial Sequence
     921 <220> FEATURE:
     922 <223> OTHER INFORMATION: Synthesized peptide
     924 <220> FEATURE:
     925 <221> NAME/KEY: MISC_FEATURE
     926 <222> LOCATION: (12)..(12)
                                            delete-duplicated
     927 <223> OTHER INFORMATION: Acp
     930 <220> FEATURE:
     93/1 <221> NAME/KEY: MOD_RES
     9/32 <222> LOCATION: (12)..(12)
     933 <223> OTHER INFORMATION: ACD
     936 <400> SEQUENCE: 21
W--> 938 Ser Ile Ser Arg Ala Arg Gln Val Glu Leu Leu Xaa Cys
     939 1
                         5
     942 <210> SEQ ID NO: 22
     943 <211> LENGTH: 14
     944 <212> TYPE: PRT
     945 <213> ORGANISM: homo sapiens
     947 <400> SEQUENCE: 22
     949 Asn Ile Thr Glu Gly Glu Ala Arg Gly Ser Val Ile Leu Thr
     950 1
                         5
                                              10
     953 <210> SEQ ID NO: 23
     954 <211> LENGTH: 14
     955 <212> TYPE: PRT
     956 <213> ORGANISM: bovine
     958 <400> SEQUENCE: 23
     960 Asn Ile Thr Glu Gly Glu Ala Arg Gly Ser Val Ile Leu Thr
     961 1
                                              10
```

964 <210> SEQ ID NO: 24

Input Set : A:\DM6909.ST25.txt

```
965 <211> LENGTH: 14
966 <212> TYPE: PRT
967 <213> ORGANISM: rat
969 <400> SEQUENCE: 24
971 Asn Ile Thr Glu Gly Glu Ala Arg Gly Asn Val Ile Leu Thr
                    5
975 <210> SEQ ID NO: 25
976 <211> LENGTH: 14
977 <212> TYPE: PRT
978 <213> ORGANISM: mouse
980 <400> SEQUENCE: 25
982 Asn Val Thr Glu Gly Glu Ala Leu Gly Ser Val Ile Leu Thr
983 1
                    5
                                         10
986 <210> SEQ ID NO: 26
987 <211> LENGTH: 14
988 <212> TYPE: PRT
989 <213> ORGANISM: pig
991 <400> SEQUENCE: 26
993 Asn Ile Thr Glu Gly Glu Ala Arg Gly Thr Val Ile Leu Thr
994 1
                                         10
997 <210> SEQ ID NO: 27
998 <211> LENGTH: 14
999 <212> TYPE: PRT
1000 <213> ORGANISM: sheep
1002 <400> SEQUENCE: 27
1004 Asn Ile Thr Glu Gly Glu Ala Arg Gly Asn Val Ile Leu Thr
1005 1
1008 <210> SEQ ID NO: 28
1009 <211> LENGTH: 11
1010 <212> TYPE: PRT
1011 <213> ORGANISM: chicken
1013 <400> SEQUENCE: 28
1015 Asn Val Thr Glu Glu Glu Ala Arg Gly Ser Ile
1016 1
1019 <210> SEQ ID NO: 29
1020 <211> LENGTH: 14
1021 <212> TYPE: PRT
1022 <213> ORGANISM: horse
1024 <400> SEQUENCE: 29
1026 Asn Ile Thr Glu Gly Glu Ala Arg Gly Asn Val Ile Leu Thr
1027 1
1030 <210> SEQ ID NO: 30
1031 <211> LENGTH: 16
1032 <212> TYPE: PRT
1033 <213> ORGANISM: homo sapiens
1035 <400> SEQUENCE: 30
1037 Ala Ser Thr Ala Ser Glu Leu Glu Gly Arg Gly Thr Ile Gly Ile Ser
                                          10
1038 1
1041 <210> SEQ ID NO: 31
```

Input Set : A:\DM6909.ST25.txt

```
1042 <211> LENGTH: 16
1043 <212> TYPE: PRT
1044 <213> ORGANISM: bovine
1046 <400> SEQUENCE: 31
1048 Ala Thr Thr Ala Gly Glu Leu Glu Gly Arg Gly Thr Ile Asp Ile Ser
                     5
                                          10
1052 <210> SEQ ID NO: 32
1053 <211> LENGTH: 16
1054 <212> TYPE: PRT
1055 <213> ORGANISM: mouse
1057 <400> SEQUENCE: 32
1059 Ala Thr Thr Ser Ser Glu Leu Glu Gly Arg Gly Thr Ile Gly Ile Ser
                     5
1060 1
1063 <210> SEQ ID NO: 33
1064 <211> LENGTH: 16
1065 <212> TYPE: PRT
1066 <213> ORGANISM: rat
1068 <400> SEQUENCE: 33
1070 Ala Thr Thr Ala Ser Glu Leu Glu Gly Arg Gly Thr Ile Ser Val Ser
1071 1
                                          10
1074 <210> SEQ ID NO: 34
1075 <211> LENGTH: 16
1076 <212> TYPE: PRT
1077 <213> ORGANISM: homo sapiens
1079 <400> SEQUENCE: 34
1081 Pro Thr Thr Phe Lys Glu Glu Glu Gly Leu Gly Ser Val Glu Leu Ser
1082 1
                                         10
1085 <210> SEQ ID NO: 35
1086 <211> LENGTH: 16
1087 <212> TYPE: PRT
1088 <213> ORGANISM: bovine
1090 <400> SEQUENCE: 35
1092 Pro Thr Thr Phe Lys Glu Glu Glu Gly Leu Gly Ser Val Glu Leu Ser
1093 1
1096 <210> SEQ ID NO: 36
1097 <211> LENGTH: 16
1098 <212> TYPE: PRT
1099 <213> ORGANISM: rat
1101 <400> SEQUENCE: 36
1103 Pro Thr Thr Phe Arg Glu Glu Glu Gly Leu Gly Ser Val Glu Leu Ser
1104 1
                     5
                                         10
1107 <210> SEQ ID NO: 37
1108 <211> LENGTH: 16
1109 <212> TYPE: PRT
1110 <213> ORGANISM: mouse
1112 <400> SEQUENCE: 37
1114 Pro Thr Thr Phe Arg Glu Glu Glu Gly Leu Gly Ser Val Glu Leu Ser
1115 1
                                         10
1118 <210> SEQ ID NO: 38
```

Input Set : A:\DM6909.ST25.txt

Output Set: N:\CRF4\05072003\I634287C.raw

1119 <211> LENGTH: 16 1120 <212> TYPE: PRT 1121 <213> ORGANISM: homo sapiens 1123 <400> SEQUENCE: 38 1125 Thr Gln Ala Pro Thr Ala Gln Glu Ala Gly Glu Gly Pro Ser Gly Ile 1129 <210> SEQ ID NO: 39 1130 <211> LENGTH: 16 1131 <212> TYPE: PRT 1132 <213> ORGANISM: bovine 1134 <400> SEQUENCE: 39 1136 Thr Gln Ala Pro Thr Ala Gln Glu Ala Gly Glu Gly Pro Ser Gly Ile 1137 1 1140 <210> SEQ ID NO: 40 1141 <211> LENGTH: 16 1142 <212> TYPE: PRT 1143 <213> ORGANISM: rat 1145 <400> SEQUENCE: 40 .1147 Thr Leu Ala Pro Thr Ala Gln Glu Ala Gly Glu Gly Pro Ser Ser Ile 1151 <210> SEQ ID NO: 41 1152 <211> LENGTH: 16 1153 <212> TYPE: PRT 1154 <213> ORGANISM: mouse 1156 <400> SEQUENCE: 41 .1158 Thr Gln Ala Pro Thr Ala Gln Glu Ala Gly Glu Gly Pro Ser Gly Ile 1159 1 1162 <210> SEQ ID NO: 42 1163 <211> LENGTH: 16 1164 <212> TYPE: PRT 1165 <213> ORGANISM: chicken 1167 <400> SEQUENCE: 42 1169 Thr Gln Thr Ser Val Ala Gln Glu Val Gly Glu Gly Pro Ser Gly Met 1170 1 1173 <210> SEO ID NO: 43 1174 <211> LENGTH: 17 1175 <212> TYPE: PRT 1176 <213> ORGANISM: homo sapiens 1178 <400> SEQUENCE: 43 1180 Thr Glu Pro Thr Ile Ser Gln Glu Leu Leu Gly Gln Arg Pro Pro Val 1181 1 5 10 1184 Thr 1188 <210> SEQ ID NO: 44 1189 <211> LENGTH: 16 1190 <212> TYPE: PRT 1191 <213> ORGANISM: bovine 1193 <400> SEQUENCE: 44 1195 Thr Glu Pro Thr Val Ser Gln Glu Leu Gly Gln Arg Pro Pro Val Thr

5

1196 1

Input Set : A:\DM6909.ST25.txt

Output Set: N:\CRF4\05072003\1634287C.raw

1199 <210> SEQ ID NO: 45 1200 <211> LENGTH: 16 1201 <212> TYPE: PRT 1202 <213> ORGANISM: rat 1204 <400> SEQUENCE: 45 1206 Thr Glu Pro Thr Val Ser Gln Glu Leu Gly His Gly Pro Ser Met Thr 10 1207 1 1210 <210> SEQ ID NO: 46 1211 <211> LENGTH: 16 1212 <212> TYPE: PRT 1213 <213> ORGANISM: mouse 1215 <400> SEQUENCE: 46 1217 Thr Glu Pro Thr Val Ser Gln Glu Leu Gly His Gly Pro Ser Met Thr 1221 <210> SEQ ID NO: 47 1222 <211> LENGTH: 16 1223 <212> TYPE: PRT 1224 <213> ORGANISM: chicken 1226 <400> SEQUENCE: 47 1228 Thr Arg Pro Thr Val Ser Gln Glu Leu Gly Gly Glu Thr Ala Val Thr 5 1232 <210> SEQ ID NO: 48 1233 <211> LENGTH: 16 1234 <212> TYPE: PRT 1235 <213> ORGANISM: dog 1237 <400> SEQUENCE: 48 1239 Thr Glu Pro Thr Val Ser Glu Glu Leu Ala Gln Arg Pro Pro Val Thr 1240 1 5

VERIFICATION SUMMARY DATE: 05/07/2003 PATENT APPLICATION: .US/09/634,287C TIME: 13:34:20

Input Set : A:\DM6909.ST25.txt

Output Set: N:\CRF4\05072003\1634287C.raw

L:391 M:212 E: (34) Invalid or duplicate Sequence ID Number, SEQ ID NO

L:392 M:212 E: (34) Invalid or duplicate Sequence ID Number, SEQUENCE ID NOS:0 differs:2

L:392 M:283 W: Missing Blank Line separator, <400> field identifier

L:393 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (0) SEQUENCE:

L:938 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 after pos.:0